

### **AMENDMENTS TO THE CLAIMS**

This listing of the claims replaces all prior versions and listings of the claims in the application.

1. (currently amended) A ~~component~~rail component comprising:  
a metal substrate; and  
a composite outer layer comprising a plastic and at least one filler, said composite formed on said substrate such that all sides of said substrate are coated by said outer layer.
2. (currently amended) The ~~component~~rail component of claim 1 wherein said substrate is a sheet.
3. (currently amended) The ~~component~~rail component of claim 1 wherein said substrate has a higher bending strength than a comparable size piece of said composite.
4. (canceled)
5. (currently amended) The ~~component~~rail component of claim 1 wherein said substrate has at least one perforation.
6. (currently amended) The ~~component~~rail component of claim 1 wherein said plastic is selected from the group consisting of polyethylene, polypropylene, and polyvinyl chloride.

7. (currently amended) The ~~component~~rail component of claim 1 wherein said at least one filler is selected from the group consisting of cellulosic fillers and inorganic fillers.

8. (currently amended) The ~~component~~rail component of claim 1 wherein said composite is formed about said substrate by a process selected from the group consisting of extrusion, compression molding, and injection molding.

9. (currently amended) A ~~component~~rail component comprising:

a sheet of a metal substrate; and

a cellulosic-filled plastic composite outer layer formed about said sheet of said substrate such that all sides of said substrate are coated by said outer layer.

10. (currently amended) The ~~component~~rail component of claim 9 wherein said sheet has a higher bending strength than a comparable size piece of said plastic composite.

11. (currently amended) The ~~component~~rail component of claim 9 wherein said substrate has at least one perforation.

12. (currently amended) The ~~component~~rail component of claim 9 wherein said plastic is selected from the group consisting of polyethylene, polypropylene, and polyvinyl chloride.

13. (currently amended) The ~~component~~rail component of claim 9 wherein said plastic composite is formed about said substrate by a process selected from the group consisting of extrusion, compression molding, and injection molding.

14. (currently amended) A ~~component~~rail component comprising:

a metal substrate having a perforation; and

a composite outer layer comprising a plastic and at least one filler, said composite formed on said substrate such that all sides of said substrate are coated by said outer layer and said composite passes through said perforation in said substrate.

15. (currently amended) The ~~component~~rail component of claim 14 wherein said substrate is a sheet.

16. (currently amended) The ~~component~~rail component of claim 14 wherein said substrate has a higher bending strength than a comparable size piece of said composite.

17. (canceled)

18. (currently amended) The ~~component~~rail component of claim 14 wherein said substrate has a plurality of perforations through which the composite passes.

19. (currently amended) The ~~component~~rail component of claim 14 wherein said plastic is selected from the group consisting of polyethylene, polypropylene, and polyvinyl chloride.

20. (currently amended) The ~~component~~rail component of claim 14 wherein said at least one filler is selected from the group consisting of cellulosic fillers and inorganic fillers.

21. (currently amended) The ~~component~~rail component of claim 14 wherein said composite is formed about said substrate by a process selected from the group consisting of extrusion, compression molding, and injection molding.

22. (currently amended) The ~~composite~~rail component of claim 14 wherein:

said substrate is a metal sheet having a plurality of perforations; and

said composite is a cellulosic-filled plastic composite, said composite passing through said plurality of perforations.